QUALIKO


PROFESSIONAL LIGHT COMPONENTS

2018


MAYA

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS





Incassi Alluminio • Aluminium fixtures





CE RoHS

Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
MAYA T1A	**B10221050T1A**	Ø93	MR16	Aluminium	80	100x100x50h	0,16
MAYA T1N	**B10231050T1N**	Ø93	MR16	Black	80	100x100x50h	0,16
MAYA T1B	**B10221050T1B**	Ø93	MR16	White	80	100x100x50h	0,16




Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Adjustable
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo





Optional Class II Gu10 lampholder
Part N°: BPORTGU1020N


- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000




BABEL

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS



Incassi Alluminio • Aluminium fixtures

BABEL Incassi Alluminio • Aluminium Fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
BABEL Q1A	**B10421050Q1A**	93x93x23h	MR16	Aluminium	Ø80	115x100x45h	0,16
BABEL Q2A	**B18293050Q2A**	175x90x23h	MR16	Aluminium	160x80	185x160x45h	0,34
BABEL Q1N	**B10423050Q1N**	93x93x23h	MR16	Black	Ø80	115x100x45h	0,16
BABEL Q2N	**B11824050Q2N**	175x90x23h	MR16	Black	160x80	185x160x45h	0,34
BABEL Q1B	**B10421050Q1B**	93x93x23h	MR16	White	Ø80	115x100x45h	0,16
BABEL Q2B	**B18293050Q2B**	175x90x23h	MR16	White	160x80	185x160x45h	0,34


Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle


Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Adjustable
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo








Optional Class II Gu10 lampholder
Part N°: BPORTGU1020N

- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000







Incassi Alluminio • Aluminium fixtures





CE RoHS

Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
BASIC 50	**B11265E50T1A**	Ø78	MR16	Aluminium	Ø60	95x75x45h	0,090
BASIC 35	**B10701E35T1A**	Ø53	MR11	Aluminium	Ø43	95x80x50h	0,055

Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientamento fisso
- Per utilizzo in controsoffitti, fissaggio con molle


Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Not Adjustable
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Starr
- Einsatz in Hängedecken, Befestigung durch Sprengringen


Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientation fixée
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- No ajustable
- Para ser utilizado en techo

BASIC 50



BASIC 35



For Basic 50 only



Optional Class II Gu10 lampholder
Part N°: BPORTGU1020N

- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido




ZTLA0B001000

INKA

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS





Incassi Alluminio • Aluminium fixtures



CE RoHS

Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
INKA T1A	**B13506035T1A**	Ø70	MR11	Aluminium	Ø60	100x80x45h	0,080
INKA T1N	**B13505035T1N**	Ø70	MR11	Black	Ø60	100x80x45h	0,080




Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Adjustable
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen


Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo



- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000





TEBE

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS




Incassi Alluminio • Aluminium fixtures





CE RoHS

Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
TEBE Q1A	**B13601035Q1A**	70x70x19h	MR11	Aluminium	Ø60	95x80x40h	0,090
TEBE Q1B	**B13601035Q1B**	70x70x19h	MR11	White	Ø60	95x80x40h	0,090
TEBE Q1N	**B13608035Q1N**	70x70x19h	MR11	Black	Ø60	95x80x40h	0,090
TEBE Q2A	**B13621035Q2A**	140x70x19h	MR11	Aluminium	125x60	160x110x45h	0,185
TEBE Q2N	**B13628035Q2N**	140x70x19h	MR11	Black	125x60	160x110x45h	0,185




Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Adjustable
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen


Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo




- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000



ECLYPSE

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS





Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
ECLYPSE T1A	**B39100111T1A**	Ø180	AR111	Aluminium	Ø145	210x190x45h	0,380
ECLYPSE T1N	**B39400111T1N**	Ø180	AR111	Black	Ø145	210x190x45h	0,380
ECLYPSE T1B	**B39100111T1B**	Ø180	AR111	White	Ø145	210x190x45h	0,380




Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Adjustable
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo




- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000




ZENITH

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS








Incassi Alluminio • Aluminium fixtures


ZENITH Incassi Alluminio • Aluminium Fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
ZENITH Q1A	**B31100111Q1A**	180x180x23	AR111	Aluminium	Ø145	210x190x45h	0,320
ZENITH Q2A	**B32100111Q2A**	360x180x23	AR111	Aluminium	315x145	365x210x45h	0,800
ZENITH Q3A	**B33100111Q3A**	530x180x23	AR111	Aluminium	495x145	540x210x45h	1,170
ZENITH Q1N	**B31400111Q1N**	180x180x23	AR111	Black	Ø145	210x190x45h	0,320
ZENITH Q2N	**B32400111Q2N**	360x180x23	AR111	Black	315x145	365x210x45h	0,800
ZENITH Q3N	**B33400111Q3N**	530x180x23	AR111	Black	495x145	540x210x45h	1,170
ZENITH Q1B	**B31100111Q1B**	180x180x23	AR111	White	Ø145	210x190x45h	0,320
ZENITH Q2B	**B32100111Q2B**	360x180x23	AR111	White	315x145	365x210x45h	0,800
ZENITH Q3B	**B33100111Q3B**	530x180x23	AR111	White	495x145	540x210x45h	1,170


Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle






Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Adjustable
- To be used in counter ceilings


Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen





Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo



- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000




SONAR

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS




Incassi Alluminio • Aluminium fixtures

SONAR Incassi Alluminio • Aluminium Fixtures




Type	Part N°	Dimensions (mm)	Standard	Colour	Packing box dimensions (mm)	Packing box weight (kg)
SONAR T1A	**B3011S111G1A**	170x90x200h	AR111	Aluminium	180x100x210h	0,750
SONAR T2A	**B3012S111G2A**	325x90x200h	AR111	Aluminium	210x100x340h	1,230
SONAR T3A	**B3013S111G3A**	480x90x200h	AR111	Aluminium	210x100x490h	1,740

Suggested LED lamp and driver: QLT QL111 + T70LED








Proiettore LED
- Corpo in alluminio
- Orientabile su due assi


LED Projector
- Aluminum body
- Adjustable on both axes

LED-Projektor
- Aluminiumkörper
- Schwenkbar entlang zweier Achsen

Projecteur LED
- Corps en aluminium
- Orientable sur deux axes


Proyector LED
- Cuerpo de aluminio
- Ajustable en dos ejes







GLAM

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS





Incassi Alluminio • Aluminium fixtures





CE RoHS

Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
GLAM SQUARE	**B15010150Q1B**	82x82x35h	MR16	White	70x70	115x95x65h	0,160
GLAM ROUND	**B15010950T1B**	82x35h	MR16	White	Ø70	115x95x65h	0,160

Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Fonte luminosa arretrata anti-abbagliamento
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Recessed light source - No dazzle
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Einbaulichtequelle - Keine Blendung
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Source lumineuse en retrait - Anti-éblouissement
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Foco empotrable - No deslumbra
- Para ser utilizado en techo





Optional Class II Gu10 lampholder
Part N°: BPORTGU1020N

- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000



FLIP

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS





Incassi Alluminio • AluminiumFixtures

FLIP Incassi Alluminio • Aluminium Fixtures









For Flip Small only



Optional Class II Gu10 lampholder
Part N°: BPORTGU1020N

- A richiesta
- On request
- Auf Anfrage
- Sur Demande
- Bajo pedido

ZTLA0B001000



Type	Part N°	Dimensions (mm)	Standard	Colour	(mm	Packing box dimensions (mm)	Packing box weight (kg)
FLIP SMALL	**B40080050T1B**	Ø89,5x61,5h	MR16	White	Ø70,5	115x95x65h	0,44
FLIP LARGE	**B80040111T1B**	Ø148x62,5h	AR111	White	Ø120	155x155x65h	0,75

FLIP SMALL B40080050T1B

Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Fonte luminosa arretrata anti-abbagliamento
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Recessed light source - No dazzle
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Einbaulichtequelle - Keine Blendung
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Source lumineuse en retrait - Anti-éblouissement
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Foco empotrable - No deslumbra
- Para ser utilizado en techo

FLIP LARGE B80040111T1B

Faretti per incasso in Alluminio (per Moduli LED)
- Corpo in alluminio
- Fonte luminosa arretrata anti-abbagliamento
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)
- Aluminum body
- Recessed light source - No dazzle
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)
- Aluminiumkörper
- Einbaulichtequelle - Keine Blendung
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)
- Corps en aluminium
- Source lumineuse en retrait - Anti-éblouissement
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)
- Cuerpo de aluminio
- Foco empotrable - No deslumbra
- Para ser utilizado en techo