

QUALIKO

PROFESSIONAL LIGHT COMPONENTS

2022

KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO

Lampade LED • LED Lamps

BFLYFIT270PW	FLYLINE	PAG. N° 2	Warm White 2700K	Including: A41H24210A27 + A40PBF10000B
BFLYFIT300PW	FLYLINE	PAG. N° 2	Warm White 3000K	Including: A41H24210A30 + A40PBF10000B
BFLYFIT400PN	FLYLINE	PAG. N° 2	Natural White 4000K	Including: A41H24210A40 + A40PBF10000B

Incassi Gypsolyte • Gypsolyte fixtures

CB9129G50Q1W	ARAGON	PAG. N° 54	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9129G50Q1N	ARAGON	PAG. N° 54	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9247G11Q1W	ARAGON XL	PAG. N° 56	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB9247G11Q1N	ARAGON XL	PAG. N° 56	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB9128GV5Q1W	ARAGON GLASS	PAG. N° 58	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9128GV5Q1N	ARAGON GLASS	PAG. N° 58	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9222G50Q1W	ARAGON FLAT	PAG. N° 60	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9222G50Q1N	ARAGON FLAT	PAG. N° 60	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9223G50Q2W	ARAGON TWIN	PAG. N° 62	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB9223G50Q2N	ARAGON TWIN	PAG. N° 62	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB9130G50T1W	OBLO'	PAG. N° 64	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9130G50T1N	OBLO'	PAG. N° 64	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9248G11T1W	OBLO' XL	PAG. N° 66	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB9248G11T1N	OBLO' XL	PAG. N° 66	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB9132V50T1W	OBLO' GLASS	PAG. N° 68	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9132V50T1N	OBLO' GLASS	PAG. N° 68	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9224G50T1W	OBLO' FLAT	PAG. N° 70	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9224G50T1N	OBLO' FLAT	PAG. N° 70	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9131G50Q1W	SLIDE	PAG. N° 72	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9131G50Q1N	SLIDE	PAG. N° 72	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9229G50Q1W	DIAGONAL	PAG. N° 74	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9229G50Q1N	DIAGONAL	PAG. N° 74	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9284G50Q1W	BEAT	PAG. N° 76	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9284G50Q1N	BEAT	PAG. N° 76	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9285G50T1W	SOUL	PAG. N° 78	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9285G50T1N	SOUL	PAG. N° 78	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9286G35Q1W	SNAP	PAG. N° 80	Warm White 3000K	Including: BKITR08SL24W
CB9286G35Q1N	SNAP	PAG. N° 80	Natural White 4000K	Including: BKITR08SL24N
B9287G35Q1W	LOOP	PAG. N° 82	Warm White 3000K	Including: BKITR08SL24W
B9287G35Q1N	LOOP	PAG. N° 82	Natural White 4000K	Including: BKITR08SL24N
CB9262G50Q1W	NEOS SMALL	PAG. N° 84	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9262G50Q1N	NEOS SMALL	PAG. N° 84	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9263G50Q1W	NEOS MEDIUM	PAG. N° 84	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9263G50Q1N	NEOS MEDIUM	PAG. N° 84	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9264G50Q1W	NEOS LARGE	PAG. N° 84	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9264G50Q1N	NEOS LARGE	PAG. N° 84	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9268G50T1W	ARGO SMALL	PAG. N° 86	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9268G50T1N	ARGO SMALL	PAG. N° 86	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9269G50T1W	ARGO MEDIUM	PAG. N° 86	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9269G50T1N	ARGO MEDIUM	PAG. N° 86	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB9270G50T1W	ARGO LARGE	PAG. N° 86	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB9270G50T1N	ARGO LARGE	PAG. N° 86	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D

Incassi LED • LED Downlights

CBD0950TNW1B	ROUND 95	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD1400TNW1B	ROUND 140	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD1700TNW1B	ROUND 170	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD2000TNW1B	ROUND 200	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD2750TNW1B	ROUND 275	PAG. N° 88	Natural White 4200K	Including: Driver A40FB036000B
CBD3300TNW1B	ROUND 330	PAG. N° 88	Natural White 4200K	Including: Driver A40FB036000B
CBD0950TWW1B	ROUND 95	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD1400TWW1B	ROUND 140	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD1700TWW1B	ROUND 170	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD2000TWW1B	ROUND 200	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD2750TWW1B	ROUND 275	PAG. N° 88	Warm White 3000K	Including: Driver A40FB036000B
CBD3300TWW1B	ROUND 330	PAG. N° 88	Warm White 3000K	Including: Driver A40FB036000B

KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO[®]

CBD135CTNW0B	ORION 135	PAG. N° 90	Natural White 4000K	Including: Driver A40PD309000B
CBD160CTNW0B	ORION 160	PAG. N° 90	Natural White 4000K	Including: Driver A40PD309000B
CBD190CTNW0B	ORION 190	PAG. N° 90	Natural White 4000K	Including: Driver A40PD309000B
CBD228CTNW0B	ORION 228	PAG. N° 90	Natural White 4000K	Including: Driver A40MCS03000B
CBD135CTWW0B	ORION 135	PAG. N° 90	Warm White 3000K	Including: Driver A40PD309000B
CBD160CTWW0B	ORION 160	PAG. N° 90	Warm White 3000K	Including: Driver A40PD309000B
CBD190CTWW0B	ORION 190	PAG. N° 90	Warm White 3000K	Including: Driver A40PD309000B
CBD228CTWW0B	ORION 228	PAG. N° 90	Warm White 3000K	Including: Driver A40MCS03000B
CBDCL10208WB	LAKE SMALL	PAG. N° 92	Warm White 3000K	Including: Driver A40PLK18500B
CBDCL10213WB	LAKE LARGE	PAG. N° 92	Warm White 3000K	Including: Driver A40PLK30000B
CBDCL10208NB	LAKE SMALL	PAG. N° 92	Natural White 4000K	Including: Driver A40PLK18500B
CBDCL10213NB	LAKE LARGE	PAG. N° 92	Natural White 4000K	Including: Driver A40PLK30000B
CBD19BASTNW0B	OPERA 190	PAG. N° 94	Natural White 4000K	Including: Driver A40PDMC0000B
CBD27BASTNW0B	OPERA 270	PAG. N° 94	Natural White 4000K	Including: Driver A40MCS03000B
CBD19BASTWW0B	OPERA 190	PAG. N° 94	Warm White 3000K	Including: Driver A40PDMC0000B
CBD27BASTWW0B	OPERA 270	PAG. N° 94	Warm White 3000K	Including: Driver A40MCS03000B
CBD13BASTNW0B	KARMA 130	PAG. N° 96	Natural White 4000K	Including: Driver A40PD312000B
CBD28BASTNW0B	KARMA 280	PAG. N° 96	Natural White 4000K	Including: Driver A40MCS03000B
CBD13BASTWW0B	KARMA 130	PAG. N° 96	Warm White 3000K	Including: Driver A40PD312000B
CBD28BASTWW0B	KARMA 280	PAG. N° 96	Warm White 3000K	Including: Driver A40MCS03000B

Pannelli LED • LED Panels

CBPL6060EACW	60x60 Alu frame	PAG. N° 104	Cool White 6000K	Including: Driver A40PBF06000B
CBPL6060EANW	60x60 Alu frame	PAG. N° 104	Natural White 4200K	Including: Driver A40PBF06000B
CBPL6060EAWW	60x60 Alu frame	PAG. N° 104	Warm White 3000K	Including: Driver A40PBF06000B
CBPL6012EANW	60x120 Alu frame	PAG. N° 106	Natural White 4200K	Including: Driver A40PBF10000B
CBPL6012EAWW	60x120 Alu frame	PAG. N° 106	Warm White 3000K	Including: Driver A40PBF10000B
CBPL3030EACW	30x30 Alu frame	PAG. N° 108	Cool White 6000K	Including: Driver A40PDV24000B
CBPL3030EANW	30x30 Alu frame	PAG. N° 108	Natural White 4200K	Including: Driver A40PDV24000B
CBPL3030EAWW	30x30 Alu frame	PAG. N° 108	Warm White 3000K	Including: Driver A40PDV24000B
CBPL3060EACW	30x60 Alu frame	PAG. N° 108	Cool White 6000K	Including: Driver A40FB036000B
CBPL3060EANW	30x60 Alu frame	PAG. N° 108	Natural White 4200K	Including: Driver A40FB036000B
CBPL3060EAWW	30x60 Alu frame	PAG. N° 108	Warm White 3000K	Including: Driver A40FB036000B
CBPL30120ECW	30x120 Alu frame	PAG. N° 108	Cool White 6000K	Including: Driver A40PBF06000B
CBPL30120ENW	30x120 Alu frame	PAG. N° 108	Natural White 4200K	Including: Driver A40PBF06000B
CBPL30120EWW	30x120 Alu frame	PAG. N° 108	Warm White 3000K	Including: Driver A40PBF06000B
CBPL3030EARG	30x30 Alu frame	PAG. N° 114	RGB	Including: Driver/Controller A40RGB0X424B
CBPL6060EARG	60x60 Alu frame	PAG. N° 114	RGB	Including: Driver/Controller A40RGB0X424B
CBPL6012EARG	60x120 Alu frame	PAG. N° 114	RGB	Including: Driver/Controller A40RGB0X424B

Plafoniere LED • LED Fixtures

CBAW2253009N	WALLY 30 25°	PAG. N° 116	Natural White 4000K	Including: Driver A40PDV24000B
CBAW2453009N	WALLY 30 45°	PAG. N° 116	Natural White 4000K	Including: Driver A40PDV24000B
CBAW2251235N	WALLY 120 25°	PAG. N° 116	Natural White 4000K	Including: Driver A40FB036000B
CBAW2451235N	WALLY 120 45°	PAG. N° 116	Natural White 4000K	Including: Driver A40FB036000B
CBAW2253009W	WALLY 30 25°	PAG. N° 116	Warm White 3000K	Including: Driver A40PDV24000B
CBAW2453009W	WALLY 30 45°	PAG. N° 116	Warm White 3000K	Including: Driver A40PDV24000B
CBAW2251235W	WALLY 120 25°	PAG. N° 116	Warm White 3000K	Including: Driver A40FB036000B
CBAW2451235W	WALLY 120 45°	PAG. N° 116	Warm White 3000K	Including: Driver A40FB036000B

KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO™

CBAW2253009R	WALLY 30 25° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B
CBAW2453009R	WALLY 30 45° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B
CBAW2251235R	WALLY 120 25° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B
CBAW2251235R	WALLY 120 45° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B

Incassi Alluminio • Aluminium fixtures

CBJ140205TBN	SWING WHITE	PAG. N° 146	Natural White 4000K	Including: BLCT7GU1040D
CBJ140205TBW	SWING WHITE	PAG. N° 146	Warm White 3000K	Including: BLCT7GU1030D
CBJ140205TNN	SWING BLACK	PAG. N° 146	Natural White 4000K	Including: BLCT7GU1040D
CBJ140205TNW	SWING BLACK	PAG. N° 146	Warm White 3000K	Including: BLCT7GU1030D
CB1501001QBN	GLAM SQUARE WHITE	PAG. N° 148	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB1501001QBW	GLAM SQUARE WHITE	PAG. N° 148	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB1501095TBN	GLAM ROUND WHITE	PAG. N° 148	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB1501095TBW	GLAM ROUND WHITE	PAG. N° 148	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB1501095TNN	GLAM ROUND BLACK	PAG. N° 148	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB1501095TNW	GLAM ROUND BLACK	PAG. N° 148	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB4008000TBN	FLIP SMALL	PAG. N° 150	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB4008000TBW	FLIP SMALL	PAG. N° 150	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB8004011TBN	FLIP LARGE	PAG. N° 150	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB8004011TBW	FLIP LARGE	PAG. N° 150	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB102210T0AN	MAYA ALU	PAG. N° 152	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB102210T0AW	MAYA ALU	PAG. N° 152	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB102210T0BN	MAYA WHITE	PAG. N° 152	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB102210T0BW	MAYA WHITE	PAG. N° 152	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB102210T0NN	MAYA BLACK	PAG. N° 152	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB102210T0NW	MAYA BLACK	PAG. N° 152	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB104210Q1AN	BABEL 1 ALU	PAG. N° 154	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB104210Q1AW	BABEL 1 ALU	PAG. N° 154	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB182930Q2AN	BABEL 2 ALU	PAG. N° 154	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB182930Q2AW	BABEL 2 ALU	PAG. N° 154	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB104210Q1BN	BABEL 1 WHITE	PAG. N° 154	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB104210Q1BW	BABEL 1 WHITE	PAG. N° 154	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB182930Q2BN	BABEL 2 WHITE	PAG. N° 154	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB182930Q2BW	BABEL 2 WHITE	PAG. N° 154	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB104230Q1NN	BABEL 1 BLACK	PAG. N° 154	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB104230Q1NW	BABEL 1 BLACK	PAG. N° 154	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB118240Q2NN	BABEL 2 BLACK	PAG. N° 154	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB118240Q2NW	BABEL 2 BLACK	PAG. N° 154	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB11265ET1AN	BASIC 50 ALU	PAG. N° 156	Natural White 4000K	Including: BPORTGU1020N + BLCT7GU1040D
CB11265ET1AW	BASIC 50 ALU	PAG. N° 156	Warm White 3000K	Including: BPORTGU1020N + BLCT7GU1030D
CB391000T1AN	ECLYPSE ALU	PAG. N° 162	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB391000T1AW	ECLYPSE ALU	PAG. N° 162	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB391000T1BN	ECLYPSE WHITE	PAG. N° 162	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB391000T1BW	ECLYPSE WHITE	PAG. N° 162	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB394000T1BN	ECLYPSE BLACK	PAG. N° 162	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB394000T1BW	ECLYPSE BLACK	PAG. N° 162	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B

KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO™

CB311000Q1AN	ZENITH 1 ALU	PAG. N° 164	Natural White 4000K	Including: A40TR1140M00 + A40SL125000B
CB311000Q1AW	ZENITH 1 ALU	PAG. N° 164	Warm White 3000K	Including: A40TR1130M00 + A40SL125000B
CB321000Q2AN	ZENITH 2 ALU	PAG. N° 164	Natural White 4000K	Including: 2x A40TR1140M00 + 2x A40SL125000B
CB321000Q2AW	ZENITH 2 ALU	PAG. N° 164	Warm White 3000K	Including: 2x A40TR1130M00 + 2x A40SL125000B
CB331000Q3AN	ZENITH 3 ALU	PAG. N° 164	Natural White 4000K	Including: 3x A40TR1140M00 + 3x A40SL125000B
CB331000Q3AW	ZENITH 3 ALU	PAG. N° 164	Warm White 3000K	Including: 3x A40TR1130M00 + 3x A40SL125000B
CB311000Q1BN	ZENITH 1 WHITE	PAG. N° 164	Natural White 4000K	Including: A40TR1140M00 + A40SL125000B
CB311000Q1BW	ZENITH 1 WHITE	PAG. N° 164	Warm White 3000K	Including: A40TR1130M00 + A40SL125000B
CB321000Q2BN	ZENITH 2 WHITE	PAG. N° 164	Natural White 4000K	Including: 2x A40TR1140M00 + 2x A40SL125000B
CB321000Q2BW	ZENITH 2 WHITE	PAG. N° 164	Warm White 3000K	Including: 2x A40TR1130M00 + 2x A40SL125000B
CB331000Q3BN	ZENITH 3 WHITE	PAG. N° 164	Natural White 4000K	Including: 3x A40TR1140M00 + 3x A40SL125000B
CB331000Q3BW	ZENITH 3 WHITE	PAG. N° 164	Warm White 3000K	Including: 3x A40TR1130M00 + 3x A40SL125000B

Prodotti in esaurimento • Discontinued products

CBD1000QNW1B	SQUARE 100	PAG. N° 172	Natural White 4200K	Including: Driver A40PDV24000B
CBD1000QWW1B	SQUARE 100	PAG. N° 172	Warm White 3000K	Including: Driver A40PDV24000B
CBD1500QNW1B	SQUARE 150	PAG. N° 172	Natural White 4200K	Including: Driver A40PDV24000B
CBDCL10308NB	MIST SMALL	PAG. N° 172	Natural White 4000K	Including: Driver A40PLK18500B
CBDCL10313NB	MIST LARGE	PAG. N° 172	Natural White 4000K	Including: Driver A40PLK30000B
CBD078CTNW0B	BUD 78	PAG. N° 173	Natural White 4000K	Including: Driver A40NICE2060B
CBD098CTNW0B	BUD 98	PAG. N° 173	Natural White 4000K	Including: Driver A40PLK11300B
CBD116CTNW0B	BUD 116	PAG. N° 173	Natural White 4000K	Including: Driver A40PLK11200B
CBD142CTNW0B	BUD 142	PAG. N° 173	Natural White 4000K	Including: Driver A40PDMC0000B
CBD210CTNW0B	BUD 210	PAG. N° 173	Natural White 4000K	Including: Driver A40MCS03000B
CBD098CTWW0B	BUD 98	PAG. N° 173	Warm White 3000K	Including: Driver A40PLK11300B
CBD116CTWW0B	BUD 116	PAG. N° 173	Warm White 3000K	Including: Driver A40PLK11200B
CBD142CTWW0B	BUD 142	PAG. N° 173	Warm White 3000K	Including: Driver A40PDMC0000B
CBD210CTWW0B	BUD 210	PAG. N° 173	Warm White 3000K	Including: Driver A40MCS03000B
CB9259G11Q1W	CUBE	PAG. N° 173	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB9259G11Q1N	CUBE	PAG. N° 173	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB8444G0T2BN	PIPE ROUND	PAG. N° 178	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB8444G0T2BW	PIPE ROUND	PAG. N° 178	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB8443G0T2BN	PIPE SQUARE	PAG. N° 178	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB8443G0T2BW	PIPE SQUARE	PAG. N° 178	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB2308G50Q1W	ARIEL	PAG. N° 178	Warm White 3000K	Including: BLCT7GU1030D
CB2308G50Q1N	ARIEL	PAG. N° 178	Natural White 4000K	Including: BLCT7GU1040D
CB2309G50T1W	PEGASUS	PAG. N° 178	Warm White 3000K	Including: BLCT7GU1030D
CB2309G50T1N	PEGASUS	PAG. N° 178	Natural White 4000K	Including: BLCT7GU1040D



RAL 9010

SQUARE

Incasso LED quadrato extrapiatto

- LED ad alta efficienza

24 Volt
Safety Voltage

Square extra flat recessed LED downlight

- High efficiency LED



Vedere pagina 168 per i kit che includono il driver LED - See page 168 for kits including LED driver

Type	Part N°	Dimensions (mm)	Colour	°Kelvin	Lumen	Power (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
SQUARE 100 NW	BD10024QNW1B	100x100x28h	Natural White	4200°K	303	6	90x90	200x190x60h	0,26
SQUARE 100 WW	BD10024QWW1B	100x100x28h	Warm White	3000°K	286	6	90x90	200x190x60h	0,26
SQUARE 150 NW	BD15024QNW1B	150x150x28h	Natural White	4200°K	727	11	125x125	250x240x60h	0,46



MIST

Incasso LED tondo alta potenza IP65

- LED ad alta efficienza



Round IP65 high power recessed LED downlight

- High efficiency LED

Vedere pagina 168 per i kit che includono il driver LED - See page 168 for kits including LED driver

Type	Part N°	Dimensions (mm)	Colour	Lumen (lm)	Voltage Max (V)	Current Max (mA)	Beam °	Power Max (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
MIST SMALL NW	BDCL103A08NB	Ø 80x30h	NW 4000°K	863	38	185	60°	8	Ø 70	115x110x75	0,25
MIST LARGE NW	BDCL103A13NB	Ø 110x50h	NW 4000°K	1318	38	300	60°	13	Ø 95	135x125x110	0,45



POP

Incasso a LED tondo ad alta potenza

- Installazione semplice e veloce - Funziona direttamente a tensione di rete con alimentatore incorporato - Lunga durata



Round extra powerful recessed LED downlight

- Easy and quick installation - Works directly with mains voltage (Built-in driver) - Long life time

Type	Part N°	Dimensions (mm)	Colour	Lumen (lm)	Input V	Beam °	Power Max (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
POP 145 NW	BDL14510NW0B	Ø 145x79h	NW 4000°K	900	100÷240	100°	10	Ø 125	150x150x92h	0,25
POP 175 NW	BDL17513NW0B	Ø 175x85h	NW 4000°K	1200	100÷240	100°	13	Ø 150	180x180x96h	0,35



BUD

Incasso a LED tondo ad alta potenza

- Led CITIZEN - Cornice estetica e struttura dissipante in alluminio
- Grande omogeneità luminosa
- Per installazioni di tipo professionale - Funziona in bassa tensione con trasformatore elettronico specifico a corrente costante, fornito a richiesta - Lunga durata



Round extra powerful recessed LED downlight

- CITIZEN led - Dissipating structure and aesthetic frame in aluminum - High brightness homogeneity
- For professional use - Safety low voltage with specific constant current driver (supplied on request)
- Long life time

Vedere pagina 168 per i kit che includono il driver LED - See page 168 for kits including LED driver

Type	Part N°	Dimensions (mm)	Colour	Lumen (lm)	Voltage Max (V)	Current Max (mA)	Beam °	Power Max (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
BUD 78 NW	BD078CCTNWOB	Ø 78x53h	NW 4000°K	324	11	500	46°	6	Ø67	115x96x85	0,13
BUD 98 NW	BD098CCTNWOB	Ø 96x60h	NW 4000°K	606	40	240	40°	10	Ø83	130x120x90	0,21
BUD 116 NW	BD116CCTNWOB	Ø 116x80h	NW 4000°K	998	40	350	20°	14	Ø102	155x125x100	0,31
BUD 142 NW	BD142CCTNWOB	Ø 142x101h	NW 4000°K	1336	40	500	25°	20	Ø122	160x160x130	0,57
BUD 210 NW	BD210CCTNWOB	Ø 210x150h	NW 4000°K	1911	39	700	50°	28	Ø180	215x215x180	1,56
BUD 98 WW	BD098CCTWWOB	Ø 96x60h	WW 3000°K	562	40	240	40°	10	Ø83	130x120x90	0,21
BUD 116 WW	BD116CCTWWOB	Ø 116x80h	WW 3000°K	921	40	350	20°	14	Ø102	155x125x100	0,31
BUD 142 WW	BD142CCTWWOB	Ø 142x101h	WW 3000°K	1299	40	500	25°	20	Ø122	160x160x130	0,57
BUD 210 WW	BD210CCTWWOB	Ø 210x150h	WW 3000°K	1879	39	700	50°	28	Ø180	215x215x180	1,56



CUBE

Alloggiamento da soffitto AR111 in Gypsolyte

- Orientabile
- Adatto a moduli LED standard AR111
- Installazione a soffitto
- Lampada non inclusa



Gypsolyte AR111 ceiling fixture

- Adjustable
- Suitable for standard AR111 LED modules
- To be installed on ceiling
- Bulb not included

Vedere pagina 168 per i kit che includono il LED driver e lampadina LED
See page 168 for kits including LED driver and LED bulb

Type	Part n°	Dimensions mm	Standard	Colour	Packing box dimensions (mm)	Packing box (kg)
CUBE	B9259G111Q1B	190x190x220h	AR111	White	290x245x250h	5,10

PRODOTTI IN ESAURIMENTO DISCONTINUED PRODUCTS (END SERIES)



QUALIKOTM



NEXT lampade LED Gypsolyte • LED Gypsolyte lamps



Applique LED

- Struttura in Gypsolyte
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata



LED wall lamp

- Structure in Gypsolyte
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
NEXT NW	BW8521GLEDNW	100÷250 AC	11±1	1210	NW	4000°K	>80	178X147X125h	230x180x210h	1,20
NEXT WW	BW8521GLEDWW	100÷250 AC	11±1	1190	WW	3000°K	>80	178X147X125h	230x180x210h	1,20
NEXT GOLD NW	BW8521GOLDNW	100÷250 AC	11±1	1210	NW	4000°K	>80	178X147X125h	230x180x210h	1,20
NEXT GOLD WW	BW8521GOLDWW	100÷250 AC	11±1	1190	WW	3000°K	>80	178X147X125h	230x180x210h	1,20



NEXT lampade LED Cemento • LED Concrete lamps



Applique LED

- Struttura in Cemento
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata



LED wall lamp

- Structure in Concrete
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
NEXT	BWC8521LEDNW	100÷250 AC	11±1	1210	NW	4000°K	>80	178X147X125h	230x180x210h	1,20
NEXT	BWC8521LEDWW	100÷250 AC	11±1	1190	WW	3000°K	>80	178X147X125h	230x180x210h	1,20



CHRONOS Lampade LED Gypsolyte • LED Gypsolyte lamps



Applique LED

- Struttura in Gypsolyte
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata



LED wall lamp

- Structure in Gypsolyte
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
CHRONOS	BW8440GLEDNW	100÷250 AC	8±1	940	NW	4000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS	BW8440GLEDWW	100÷250 AC	8±1	890	WW	3000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS GOLD	BW8440GOLDNW	100÷250 AC	8±1	940	NW	4000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS GOLD	BW8440GOLDWW	100÷250 AC	8±1	890	WW	3000°K	>80	Ø155x59h	200x200x130h	1,00



CHRONOS Lampade LED Cemento • LED Concrete lamps



Applique LED

- Struttura in Cemento
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata



LED wall lamp

- Structure in Concrete
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
CHRONOS	BWC8440LEDNW	100÷250 AC	8±1	940	NW	4000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS	BWC8440LEDWW	100÷250 AC	8±1	890	WW	3000°K	>80	Ø155x59h	200x200x130h	1,00

PRODOTTI IN ESAURIMENTO DISCONTINUED PRODUCTS (END SERIES)



QUALIKOTM



BILLY

Plafoniere LED IP50

- Struttura in Policarbonato bianco e schermo in PMMA - Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato - Consumo molto limitato
- Lunga durata



IP50 LED Fixture

- Structure and frame in Polycarbonate, PMMA screen - Homogeneous light output
- Safety low voltage with specific included driver - Limited consumption - Long life time

Type	Part N°	Dimensions (mm)	Light Colour	° Kelvin (±10%)	Lumen	Power (W)	Input (V)	CRI	IP	Packing box dimensions (mm)	Weight (kg)
BILLY 10	BIL50241040B	Ø240x65h	NW	4200°K	890	10±1	100÷240 AC	>80	IP50	245x245x69h	0,60



AQUA

Plafoniere LED IP54

- Struttura in Policarbonato bianco e schermo in PMMA - Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato - Consumo molto limitato
- Lunga durata



IP54 LED Fixture

- Structure and frame in Polycarbonate, PMMA screen - Homogeneous light output
- Safety low voltage with specific included driver - Limited consumption - Long life time

Type	Part N°	Dimensions (mm)	Light Colour	° Kelvin (±10%)	Lumen	Power (W)	Input (V)	CRI	IP	Packing box dimensions (mm)	Weight (kg)
AQUA 10 NW	BIL271040IPB	Ø270x90h	NW	4200°K	890	10±1	100÷240 AC	>80	IP54	250x250x110h	0,80
AQUA 20 NW	BIL322040IPB	Ø330x100h	NW	4200°K	1680	20±1	100÷240 AC	>80	IP54	360x360x110h	1,10
AQUA 10 WW	BIL271030IPB	Ø270x90h	WW	3000°K	872	10±1	100÷240 AC	>80	IP54	250x250x110h	0,80
AQUA 20 WW	BIL322030IPB	Ø330x100h	WW	3000°K	1646	20±1	100÷240 AC	>80	IP54	360x360x110h	1,10

TORPEDO



Plafoniera stagna LED IP65

- Sostituisce la tradizionale plafoniera stagna fluorescente - Corpo in Alluminio.
- Applicazioni tipiche: uffici, aree produttive, supermercati, laboratori, etc.



LED waterproof IP65 fitting

- Ideal replacement for traditional fluo waterproof fitting - Aluminum body.
- Typical applications: offices, manufacturing areas, supermarkets, laboratories, etc.

Type	Part N°	Dimensions (mm)	Input V	Weight kg	Flux (lm)	° Kelvin	Power (W max)	Beam
TORPEDO 70	B5700000400G	1180x145x65	100÷240	5,90	4430 Lm	4000°K	70	120°



DAKOTA

Proiettore LED IP65

- LED ad alta efficienza Bridgelux - Accensione istantanea

IP65 LED flood

- Bridgelux high efficiency LED - Instant ON-OFF



Type	Part N°	Dimensions (mm)	Weight kg	Flux (lm)	°Kelvin	Power W max)	Packing box dimensions (mm)	Packing box Weight (kg)
DAKOTA 70	BF362870400N	360x285x115h	5,500	5565	4100°	70	365x290x118h	5,800



SLIM

Proiettore LED IP65

- LED ad alta efficienza - Accensione istantanea

IP65 LED flood

- High efficiency LED - Instant ON-OFF



Type	Part N°	Dimensions	Weight kg	Lumen	°Kelvin (W)	Power	IP	Packing box Dimensions (mm)
SLIM 10 Black	BFSLIM10400N	135x90x20	0,55	630	4000	10	IP65	180x145x40
SLIM 10 White	BFSLIM10400B	135x90x20	0,55	630	4000	10	IP65	180x145x40
SLIM 30 Black	BFSLIM30400N	240x163x30	1,70	2250	4000	30	IP65	300x230x60
SLIM 50 Black	BFSLIM50400N	296x208x37	2,70	3700	4000	50	IP65	360x270x80
SLIM 50 White	BFSLIM50400B	296x208x37	2,70	3700	4000	50	IP65	360x270x80



HIGH BAY (first generation)

Campana a LED IP54

- LED ad alta efficienza Bridgelux - Power Factor > 0,9 - Accensione istantanea

IP54 High power LED high bay

- Bridgelux high efficiency LED - Power factor >0,9 - Instant ON-OFF



Type	Part N°	IP	Dimensions (mm)	Input V	Weight kg	LED (Bridgelux)	Flux (lm)	° Kelvin	Campana Bell	Power (W max)	Beam	CRI
HIGH BAY150	BC150B4IP54A	IP54	400x400x560h	90÷264	8,00	4	10500 Lm	4000°K	Aluminium	150	90°	70