QUALIKO

PROFESSIONAL LIGHT COMPONENTS

2020

FUTURA

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS




Plafoniere stagne LED • LED waterproof fixtures

FUTURA Plafoniere stagne LED • LED waterproof fixtures



For T8 LED tubes ONE SIDE INPUT ONLY



INDOOR IP65 OUTDOOR

CE IP65 IK08 RoHS









Type	Part N°	Dimensions (mm)	Net weight kg	Suggested LED tube (one side input)	Packing Unit (pcs)	Packing unit dimensions (mm)	Packing unit weight Gross (kg)
FUTURA 60	**BS1X0600000B**	655x90x90h	0,8	1x60 cm	10	680x190x350h	10,0
FUTURA 120	**BS1X1200000B**	1265x90x90h	1,5	1x120 cm	6	1290x190x220h	8,1
FUTURA 150	**BS1X1500000B**	1565x90x90h	1,8	1x150 cm	6	1590x190x220h	13,0
FUTURA TWIN 60	**BS2X0600000B**	655x125x90h	1,0	2x60 cm	8	680x270x280h	10,6
FUTURA TWIN 120	**BS2X1200000B**	1265x125x90h	2,0	2x120 cm	6	1290x210x270h	13,0
FUTURA TWIN 150	**BS2X1500000B**	1565x125x90h	2,4	2x150 cm	6	1590x210x270h	17,4

Vedere pagina 186 per i kit che includono i tubi T8 LED - See page 186 for kits including T8 LED tubes

Plafoniera stagna LED IP65 per tubi LED
- Per utilizzo esclusivo con tubi elettronici a LED alimentati su di un solo lato
- Sostituisce la tradizionale plafoniera stagna fluorescente
- Schermo in Policarbonato, clips di chiusura INOX
- Applicazioni tipiche: uffici, aree produttive, supermercati, laboratori, etc.
- Versione con Tubi LED disponibile

LED tube waterproof IP65 fitting
- To be used with LED electronic tubes with single side input only
- Ideal replacement for traditional fluo waterproof fitting
- Polycarbonate cover, closing clips in stainless steel
- Typical applications: offices, manufacturing areas, supermarkets, laboratories, etc.
- Version with LED tubes available

IP65 wassergedichte Led-Leuchte
- Nur mit Led-Leuchten mit einseitinger speisung verwenden
- Für Ersatz von Standard wassergedichten Leuchtstofflampen geeignet
- Schirm aus Polycarbonat und Verschlussklammern aus Edelstahl
- Typische Anwendungen: Büros, Industriegebieten, Labors, Supermärkten usw
- Ausführung mit Led Röhren auch verfügbar

Plafonnier étanche à LED IP65 pour tubes a LED
- Utilisation qu'avec des tubes èlectroniques a LED alimentés d'une seule côté
- Remplace le plafonnier étanche avec fluorescence
- Reflecteur en polycarbonate, clips de fermeture en INOX
- Utilisations tipiques: bureaux, usines, supermarchés, laboratories
- Disponible aussi une version avec tubes Led integrés

Luminarias estancas para tubos LED IP65
- Use sólo tubos electrónicos de LED alimentados en un solo lado
- Ideal para reemplazar luminarias estancas fluorescentes
- Pantalla de Policarbonato, clips de acero inoxidable
- Instalaciones típicas: oficinas, fábricas, supermercados, laboratorios, etc.
  Versiónes con tubos de LED incluidos disponibles