QUALIKO

PROFESSIONAL LIGHT COMPONENTS

2020

BRICK

QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS




Lampade LED Gypsolyte • LED Gypsolyte lamps

BRICK Lampade LED Gypsolyte • LED Gypsolyte lamps

Made in Italy









CE IP20 EMC RoHS

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
BRICK	**BW8211GLEDNW**	100÷250 AC	12±1	1310	NW	4000°K	>80	275x94x57h	340x150x120h	1,30
BRICK	**BW8211GLEDWW**	100÷250 AC	12±1	1250	WW	3000°K	>80	275x94x57h	340x150x120h	1,30
BRICK GOLD	**BW8211GOLDNW**	100÷250 AC	12±1	1310	NW	4000°K	>80	275x94x57h	340x150x120h	1,30
BRICK GOLD	**BW8211GOLDWW**	100÷250 AC	12±1	1250	WW	3000°K	>80	275x94x57h	340x150x120h	1,30

Applique LED
- Struttura in Gypsolyte
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata

LED wall lamp
- Structure in Gypsolyte
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

LED Wandleuchte
- Struktur in Gypsolyte
- Homogenes Licht
- NV-Betrieb durch besonderen Transformator
- Begrenzter Verbrauch
- Lange Lebensdauer

Applique LED
- Corps en Gypsolyte
- Luminosité très homogène
- Il marche en basse tension avec alimentation integrée
- Consommation tres limitée
- Longue durée de vie

Lamparas de pared LED
- Estructura de Gypsolyte
- Excelente homogeneidad luminica
- Alta seguridad por funcionamiento a baja tension, con transformador integrado
- Consumo muy limitado- Larga vida

