# QUALIKO

PROFESSIONAL LIGHT COMPONENTS

# 2020

# GIPSY


QUALIKO srl
PROFESSIONAL LIGHT COMPONENTS




Lampade LED Gypsolyte • LED Gypsolyte lamps

# GIPSY Lampade LED Gypsolyte • LED Gypsolyte lamps

Made in Italy











CE IP20 EMC RoHS

| Type | Part N° | Input (V) | Power (W) | Lumen | Light Colour | °Kelvin (±10%) | CRI | Dimensions (mm) | Packing box dimensions (mm) | Weight (kg) |
|---|---|---|---|---|---|---|---|---|---|---|
| GIPSY | **BW8437GLEDNW** | 100÷250 AC | 8±1 | 940 | NW | 4000°K | >80 | 120x60x222h | 180x135x275h | 0,97 |
| GIPSY | **BW8437GLEDWW** | 100÷250 AC | 8±1 | 890 | WW | 3000°K | >80 | 120x60x222h | 180x135x275h | 0,97 |
| GIPSY GOLD | **BW8437GOLDNW** | 100÷250 AC | 8±1 | 940 | NW | 4000°K | >80 | 120x60x222h | 180x135x275h | 0,97 |
| GIPSY GOLD | **BW8437GOLDWW** | 100÷250 AC | 8±1 | 890 | WW | 3000°K | >80 | 120x60x222h | 180x135x275h | 0,97 |

**Applique LED**
- Struttura in Gypsolyte
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata

**LED wall lamp**
- Structure in Gypsolyte
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

**LED Wandleuchte**
- Struktur in Gypsolyte
- Homogenes Licht
- NV-Betrieb durch besonderen Transformator
- Begrenzter Verbrauch
- Lange Lebensdauer

**Applique LED**
- Corps en Gypsolyte
- Luminosité très homogène
- Il marche en basse tension avec alimentation integrée
- Consommation tres limitée
- Longue durée de vie

**Lamparas de pared LED**
- Estructura de Gypsolyte
- Excelente homogeneidad luminica
- Alta seguridad por funcionamiento a baja tension, con transformador integrado
- Consumo muy limitado- Larga vida

